

POSTERS – SESSION 3
Wednesday 12 September 2007

Biopharmaceutics

119

Quality of chloroquine dosage forms in Lagos State General Hospitals, Nigeria

B.A. Aina, F. Tayo and O. Taylor

¹University of Lagos, Akoka, Lagos, 2341, Nigeria, ²World Health Organization Country Office, Abuja, 2341, Nigeria

120

The use of AFM to assess macromolecule suspension formulations for metered dose inhalers

J. James, M.C. Davies, B. Bains, R.C. Toon, P. Jinks and C.J. Roberts

¹Laboratory of Biophysics and Surface Analysis, School of Pharmacy, Boots Science Building, University of Nottingham, Univeristy Park, Nottingham, NG7 2RD, United Kingdom, ²3M Health Care Ltd, 3M House, Loughborough, Leicestershire, LE11 1EP, United Kingdom, ³Welsh School of Pharmacy, Cardiff University CF10 3XQ, United Kingdom

121

A novel SPM-based approach to studying reagent-cell interactions

Z.Y. Dragnevska, D.Q.M. Craig, M. Reading, A.P. Gunning and V. Shah

School of Chemical Sciences and Pharmacy, University of East Anglia, Norwich, NR4 7TJ, United Kingdom

122

Effect of natural bioenhancer on permeability of β blocker atenolol

A.R. Thakkar, R.C. Mashru and A.C. Badhan

Pharmacy Department, Faculty of Tech. & Engineering, The M. S. University of Baroda, Kalabhavan, Vadodara – 390 001, Gujarat, India

123

Development and Evaluation of Madin-Darby Canine Kidney (MDCK) Monolayer Permeability Assay for Profiling New Chemical Entities in Early Drug Discovery

T. Bansal^{1,2}, M.K. Singh², M. Jaggi², S. Talegaonkar¹, R.K. Khar¹ and R. Mukherjee²

¹Jamia Hamdard (Hamdard University), Hamdard Nagar, New Delhi, 110062, India,

²Dabur Research Foundation, 22, Site IV, Sahibabad, Ghaziabad, U.P, India

124

The intrinsic dissolution rate of ketoconazole in proteinaceous bio-relevant media

H. Ghaza¹, A.M. Dyas², J.L. Ford¹ and G.A. Hutcheon¹

¹School of Pharmacy & Chemistry, Liverpool John Moores University, Byrom St, Liverpool L3 3AF, United Kingdom,

²Sanofi-Aventis, Holmes Chapel, Cheshire CW4 8BE, United Kingdom

125

Evaluation and comparison of alternative dissolution tests in the development of chewable tablet for short-term treatment of the oesophageal infection

L. Zhang and H.K. Batchelor

Aston University, Medicines Research Unit, School of Life and Health Science, Aston University, Birmingham, B4 7ET, United Kingdom

Chemistry

126

The synthesis of a series of amides based upon 4-hydroxybenzoic acid in the development of potential inhibitors of the enzyme oestrone sulphatase

A. Waheed, K. Aidoo-Gyamfi, C.P. Owen and S. Ahmed

Kingston University, School of Pharmacy and Chemistry, Dept of Pharmacy, Penryn Road, Kingston upon Thames, Surrey, KT1 2EE, United Kingdom

127

Synthesis and biochemical evaluation of brominated derivatives of alkyl and cycloalkyl esters of 4-sulphamoylated benzoic acid

H. Bordbar, M. Patel, C.P. Owen, S. Ahmed and T. Cartledge

Kingston University, School of Pharmacy and Chemistry, Dept of Pharmacy, Penryn Road, Kingston upon Thames, Surrey, KT1 2EE, United Kingdom

128

Synthesis and biochemical evaluation of a series of aryl ketones as potent and specific inhibitors of type 3 isozyme of 17 β -hydroxysteroid dehydrogenase (17 β -HSD)

M.S. Olusanjo, R. Lota, C.P. Owen and S. Ahmed
Kingston University, School of Pharmacy and Chemistry, Dept of Pharmacy, Penryn Road, Kingston upon Thames, Surrey, KT1 2EE, United Kingdom

129

Synthesis of a series of esters of oestrone and dehydroepiandrosterone to map the area of the active site of the type 3 isozyme of 17 β -hydroxysteroid dehydrogenase corresponding to the C(3) area of the steroid backbone

F. Masri, M.S. Olusanjo, C.P. Owen and S. Ahmed
Kingston University, School of Pharmacy and Chemistry, Dept of Pharmacy, Penryn Road, Kingston upon Thames, Surrey, KT1 2EE, United Kingdom

130

Synthesis of alkylated derivatives of (4S,5R)-(-)-4-methyl-5-phenyl-2-oxazolidinone as probes in the investigation of the active site of 17 α -hydroxylase/17,20-lyase (P-450_{17 α})

W.-Y. Lee, H. Aabdukhadir, C.P. Owen and S. Ahmed
Kingston University, School of Pharmacy and Chemistry, Dept of Pharmacy, Penryn Road, Kingston upon Thames, Surrey, KT1 2EE, United Kingdom

131

Design, synthesis and biological evaluation of chalcone derivatives possessing a methanesulfonamido pharmacophore as selective COX-2 inhibitors

T. Zebardast and A. Zarghi
Shaheed Beheshti University of Medical Sciences, School of Pharmacy, #105, Shams Alley, Valiasr Street, Iran

132

The role of physicochemical properties in determining the overall inhibitory activity of sulphamate based compounds against the enzyme oestrone sulphatase (ES)

T. Cartledge, C.P. Owen and S. Ahmed
Kingston University, School of Pharmacy and Chemistry, Department of Pharmacy, Penrhyn Road, Kingston upon Thames, Surrey, KT1 2EE, United Kingdom

133

Molecular modelling of the interactions between cysteamine and cystamine prodrugs and β cyclodextrin

D. Cairns, A. Benylles, B. McCaughan and G. Kay
The Robert Gordon University, Schoolhill, Aberdeen, United Kingdom

134

Design and synthesis of nitrogen heterocyclic diacyl lipospermines for gene delivery

M.K. Soltan and I.S. Blagbrough
University of Bath, Bath BA2 7AY, United Kingdom

135

Synthesis and evaluation of a range of substituted benzyl azoles as inhibitors of 17 α -hydroxylase (17 α -OHase) and 17,20-lyase

I. Shahid, S. Dhanani, C.P. Owen and S. Ahmed
Kingston University, School of Pharmacy and Chemistry, Dept of Pharmacy, Penryn Road, Kingston upon Thames, Surrey, KT1 2EE, United Kingdom

136

Synthesis and biophysical studies of chemical ribonucleases containing phenazinium anchor groups

J.K. Rattu, D.A. Stetsenko and E.V. Bichenkova
Manchester University, Stopford Building, Oxford Rd, Manchester University, M13 9PL., United Kingdom

Drug Delivery

137

Formulation of a stable, sterilised vaccine against M. tuberculosis - preservation of effective immune responses

V.W. Bramwell, A.R. Mohammed and Y. Perrie
Aston University, Birmingham, B4 7ET, United Kingdom

138

Modelling the release of drugs from PEG 8000 solid dispersion systems to determine the mechanism of release.

S. Khan, H.K. Batchelor and Y. Perrie
Aston University, Birmingham, B4 7ET, United Kingdom

- 139**
The creation of a vitreous humour replacement: hydrogel formulations and freeze drying of the porcine vitreous humour
J.M. Morris, S.A. Barker and J. Sanderson
University of East Anglia, Norwich, Norfolk, NR4 7TJ, United Kingdom
- 140**
Preparation, evaluation and characterization of ciprofloxacin dry powder for inhalation (DPI)
R.O. Ahmed^{1,2}, P.L. Kan¹, G.A.S. Awad², N.D. Mortada², A.H. El-Shamy² and H.O. Alpar¹
¹*School of Pharmacy, University of London, 29-39 Brunswick Square, London WC1N 1AX, United Kingdom,*
²*Faculty of Pharmacy, Ain Shams University, Cairo P.O box:11566, Egypt*
- 141**
Preparation, evaluation and characterisation of deoxyribonuclease 1 dry powder for inhalation
R.O. Ahmed^{1,2}, P.L. Kan¹, G.A.S. Awad², N.D. Mortada², A.H. El-Shamy² and H.O. Alpar¹
¹*School of Pharmacy, University of London, 29-39 Brunswick Square, London WC1N 1AX, United Kingdom,*
²*Faculty of Pharmacy, Ain Shams University, Cairo P.O Box:11566, Egypt*
- 142**
Innovative topical microemulsion gel of babchi oil (Psoralea corylifolia) as antipsoriatic agent
N. Akhtar, J. Ali, Y. Sultana, S. Baboota and S. Ahmad
Jamia Hamdard, Department of Pharmaceutics, Faculty of Pharmacy, Jamia Hamdard, New Delhi-110062, India
- 143**
Characterisation of poly(ethylene glycol) plasticized poly(methyl vinyl ether-co-maleic anhydride) films
T. Raghu Raj Singh, R.F. Donnelly and P.A. McCarron
Queens University Belfast, 97 Lisburn Road, Belfast, BT9 7BL, United Kingdom
- 144**
Formulation and characterisation of deformable liposomes of methotrexate using statistical experimental designs
K. Vanaja and R.H. ShobhaRani
Al-Ameen College of Pharmacy, Hosur Road, Near Lal-Bagh Main gate, Bangalore, India
- 145**
An assessment of pain, penetration efficiency and trans-epidermal water loss in human subjects following application of microfabricated microneedle arrays
M.I. Haq¹, E. Smith¹, C. Edwards³, M. Kalavala³, A. Anstey³, A. Morrissey², D. John¹ and J. Birchall¹
¹*Gene Delivery Research Group, Welsh School of Pharmacy, Cardiff University, Redwood Building, King Edward VII Avenue, Cardiff, CF10 3XF, United Kingdom,* ²*Tyndall Institute, Lee Maltings, Prospect Row, Cork, Ireland,* ³*St Woolos Hospital, Gwent Healthcare NHS Trust, Newport, NP20 4SZ, United Kingdom*
- 146**
Drug delivery to the posterior segment of the eye using sub-conjunctival injection of thermo-setting gel formulations
Y.I. Chen, S.A. Barker and J. Sanderson
University of East Anglia, Norwich, Norfolk, NR4 7TJ, United Kingdom
- 147**
Screening of vesicle based delivery systems for adjuvanticity in hepatitis B vaccination
A.K. Vangala, V.W. Bramwell and Y.P. Perrie
Medicines Research Unit, School of Life and Health Sciences, Aston University, Aston Triangle, Birmingham, B4 7ET, United Kingdom
- 148**
Alginate beads as potential oral vaccine delivery platforms: effect of coating
A.M. Smith, A.K. Basra, H.K. Batchelor and Y. Perrie
Aston University, Medicines Research Unit, Aston University, Birmingham B4 7ET, United Kingdom
- 149**
Aminosalicylic acid conjugates of EDTA as potential anti-inflammatory prodrugs: synthesis, copper(II) chelation and superoxide dismutase-like activities
M.J. Ingram¹, M.A. Bailey¹, D.P. Naughton², and H.T. Dodd¹
¹*University of Brighton, School of Pharmacy and Biomolecular Sciences, Cockcroft Building Moulsecoomb, Brighton BN2 4GJ, United Kingdom,* ²*Kingston University, School of Life Sciences, Penrhyn Road, Kingston upon Thames, Surrey KT1 2EE, United Kingdom*

150

Formulation and evaluation of an implantable polymeric configuration for application in AIDS dementia complex utilising nanotechnology

S. Harilall, V. Pillay and Y. Choonara

University of Witwatersrand, 7 York Road, Johannesburg, 2193, South Africa

Materials Science

151

Synthesis and characterization of co-crystals and proton-transfer complexes of adenine

P.J. Cox and M. Byres

The Robert Gordon University, Schoolhill, Aberdeen, AB10 1FR, United Kingdom

152

Development of a method for the prediction of humidity-induced crystallisation of amorphous drugs

L.C. Grisedale¹, S.A. Barker¹, D.Q.M. Craig¹ and M.J. Jamieson²

¹*University of East Anglia, Norwich, Norfolk, NR4 7TJ, United Kingdom,*

²*GlaxoSmithKline, Medicines Research Centre, Stevenage, SG1 2NY,*

153

An investigation into the potential use of zein as a novel tablet excipient

G.M.R. Georget, S.A. Barker and P.S. Belton

University of East Anglia, Norwich, Norfolk, NR4 7TJ, United Kingdom

Pharmaceutical Technology

154

Dissolution and bioavailability enhancement of gliclazide using in situ micronization by solvent change method

R. Talari¹, J. Varshosaz¹, A. Nokhodchi² and A. Mostafavi¹

¹*Pharmacy Faculty, Isfahan University of Medical Sciences, Pharmaceutics Department, Pharmacy Faculty, Isfahan University of Medical Sciences, Hezar Jarib Aven., Azadi Sq., Isfahan, 81745-359, Iran,* ²*Pharmacy Faculty, Tabriz University of Medical Sciences, Pharmaceutics Department, Pharmacy Faculty, Tabriz University of Medical Sciences, Iran*

155

Improved storage stability of controlled release pellets coated with aqueous ethylcellulose dispersion

S. Muschert¹, F. Siepmann¹, B. Leclercq², B. Carlin³ and J. Siepmann¹

¹*University of Lille, 3, Rue du Prof. Laguesse, Lille 59006, France,* ²*FMC BioPolymer, Avenue Mounier 83, Brussels 1200, Belgium,* ³*FMC BioPolymer, US Route 1 & Plainsboro Road, Princeton NJ 08543, United States*

156

Dissolution properties and solid state characterization of spray dried and co-ground indomethacin with hydrophilic carriers

P. Ke, S. and G. Buckton

The School of Pharmacy, Department of Pharmaceutics, The School of Pharmacy, University of London, 29-39 Brunswick Square, London WC1N 1AX, United Kingdom

157

Gastrointestinal mucus and its effect on the transepithelial transport of PAMAM dendrimers

J.R. Cowley¹, J. Penny¹, N. Day³, D. Attwood¹ and A. D'Emanuele²

¹*Manchester University, Oxford Road, Manchester, M13 9PL, United Kingdom,* ²*University of Central Lancashire, Preston, Lancashire, PR1 2HE, United Kingdom,* ³*Astrazeneca, Charnwood, Loughborough, LE11 5RH, United Kingdom*

Pharmacognosy

158

Salvestrols - Natural anticancer prodrugs in the diet

H.L. Tan¹, K. Beresford², P.C. Butler², G.A. Potter² and M.D. Burke¹

¹*Nature's Defence Investments, Charnwood Science Centre, High Street, Syston, Leicester LE7 1GQ, United Kingdom,* ²*School of Pharmacy, De Montfort University, The Gateway, Leicester LE1 9BH, United Kingdom*

159

Distribution of ergosterol in different parts of *Lignosus rhinoceros*

N.M. Zainoor, M. Wainwright, C. Rostron and S. Brandt

School of Pharmacy and Chemistry, Liverpool John Moores University, Byrom Street, Liverpool L3 3AF, United Kingdom

160

Stilbenes from *Cajanus cajan* engage apoptotic signals in acute human T-lymphoblastic leukemia cell lines.

J.S. Ashidi¹, P.J. Houghton¹, P.J. Hylands¹, S. Sieber² and T. Efferth²

¹King's College London, Pharmacognosy Research Laboratories, Department of Pharmacy, 150 Stamford Street, London SE1 9NH, United Kingdom, ²Pharmaceutical Biology of Natural Products Group (C015), German Cancer Research Center, Im Neuenheimer Feld 280, D-69120 Heidelberg, Germany, ³Pharmaceutical Biology of Natural Products Group (C015), German Cancer Research Center, Im Neuenheimer Feld 280, D-69120 Heidelberg, Germany,

161

Phenylphenalenones in elicited *Musa acuminata* (Musaceae)

K. Jitsaeng and B. Schneider

Biosynthesis/NMR group, Max Planck Institute for Chemical Ecology, Hans Knoell Str.8, Jena, D-07745, Germany

162

A critical assessment of some USP botanical monographs

S. El-Masry

Faculty of Pharmacy, University of Alexandria, El-Khartoum Square, Alexandria 21215, Egypt

163

Screening of some Indian plants for antiplasmodial activity

V.S.S.N. Kantamreddi and C.W. Wright

University of Bradford, Bradford, West Yorkshire, BD7 1DP, United Kingdom

164

Effect of cryptolepine and the analogue, 2,7 dibromocryptolepine on contractile activity of rat intestinal smooth muscle.

J.R. McCurrie, S. Albalawi and C.W. Wright

University of Bradford, Bradford, BD71DP, United Kingdom

165

Post-marketing surveillance of some herbal remedies marketed in Egypt

S. El-Masry and N. Fanaki

Faculty of Pharmacy, University of Alexandria, El-Khartoum square, Alexandria 21215, Egypt

166

Antioxidant activity of two medicinal plants from Botswana

D.M.T Motlhanka

Botswana College of Agriculture, Bag 0027; Gaborone, Botswana

167

Echinacea liquid formulations – NMR spectroscopy and multivariate data analysis of fractions with CYP3A4 inhibitory activity

M. Modarai¹, N. Wilson¹, M. Politi¹, A. Suter², A. Kortenkamp¹ and M. Heinrich¹

¹The School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, United Kingdom,

²Bioforce AG, 9325 Roggwil, Switzerland

Pharmacology

168

Actions of medroxyprogesterone acetate on 17 β oestradiol-induced vascular muscle relaxation.

J.R. McCurrie and A. Vij

University of Bradford, University of Bradford, Bradford, BD71DP, United Kingdom

Tissue Engineering

169

Pulsed Electric Field (PEF) treatment as a sterilisation method for collagen based biomatrices

S. Griffiths^{1,2}, S. Smith^{1,2}, M.H. Grant¹, S.J. MacGregor², J.G. Anderson³ and C. van der Walle³

¹University of Strathclyde, Bioengineering, Wolfson Building, 106 Rottenrow, Glasgow, G4 0NW, United Kingdom,

²University of Strathclyde, ROLEST, Dept. of EEE, Royal College Building, 204 George Street, Glasgow, G1 1XW, United Kingdom, ³University of Strathclyde, SIPBS, The John Arbuthnott Building, 27 Taylor Street, Glasgow, G4 0NR, United Kingdom

170

Production of silica-loaded scaffolds using supercritical methods for bone tissue engineering

R.H. Bridson, N.J. Collins, G.A. Leeke and L.M. Grover

Department of Chemical Engineering, University of Birmingham, Edgbaston, Birmingham, B15 2TT, United Kingdom